



1 Forward cabin - 1 Head, 2 Aft cabins - 2 heads + Forepeak cabin (option)



2 forward cabins - 2 heads, 2 Aft cabins - 2 heads + Forepeak cabin (option)

GENERAL SPECIFICATIONS

• L.O.A - max (Dolphin nose + Davits)	18,97 m	62'3"
• L.O.A - standard	18,24 m	59'10"
• Hull length	17,75 m	58'3"
• L.W.L.	16,43 m	53'11"
• Beam	4,99 m	16'4"
• Deep draft	2,70 m	8'10"
• Deep ballast weight	6 435 kg	14,187 lbs
• Shallow draft	2,20 m	7'3"
• Shallow ballast weight	7 150 kg	15,763 lbs
• Air draft	27,50 m	90'3"
• Light displacement (EC)	22 051 kg	48,600 lbs
• Fuel capacity (standard)	480 L	127 US Gal
• Fuel capacity (Option)	600 L	159 US Gal
• Fresh water capacity (standard)	708 L	187 US Gal
• Fresh water capacity (Option)	330 L	87 US Gal
• Engine power	150 HP	150 HP

ARCHITECTS / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

CE CERTIFICATION

- Category A - 12 people
- Category B - 13 people
- Category C - 14 people

STANDARD SAILS DIMENSIONS

• Mainsail	87,70 m ²	944 sq/ft
• Furling mainsail	73,00 m ²	786 sq/ft
• Genoa (120 %)	90,00 m ²	969 sq/ft
• Asymmetrical spinnaker	248,00 m ²	2,670 sq/ft
• Code 0	120,00 m ²	1,292 sq/ft
• Self-tacking jib	62,00 m ²	667 sq/ft
• Staysail	48,00 m ²	517 sq/ft
• I	23,65 m	77'7"
• J	6,88 m	22'7"
• P	22,90 m	75'2"
• E	6,90 m	22'8"



STANDARD EQUIPMENT

CONSTRUCTION

Design in accordance with European Directive requirements and according to CE certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and fiberglass sandwich covered in "diamond point" type non-slip surface
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass composite stock
- White coloured hull - Grey metal hull graphics

DECK EQUIPMENT

RIGGING

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Traveller MDS
- Folding mast steps
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Double backstay with bottle screws
- Rigid boom vang with tackle
- Manual Genoa furler - Drum on deck
- 2 standup blocks for mainsail on fixed composite arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet turning blocks
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Clutches
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex Windvane

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle boxes

SAILS

- Dacron furling genoa, double thickness with UV protection strip
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Lazy bag Colour Natural

MOORING LINES - MOORING

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Forepeak cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point - Stainless steel bobstay
- 24 V - 2000 W vertical electrical windlass - Remote control
- 8 Aluminium mooring cleats - Stainless steel chafine plate

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - solid wood steps
- 2 Shelving unit

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel pushpits
- 1 Lifebuoys support bracket
- 1 Outboard engine bracket
- 2 Welded ring on pushpit for flag
- Double guard lines and stainless steel stanchions - Side boarding gate on either side
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch
- 2 stainless steel grabrails on the cockpit coaming
- 2 Stainless steel handrails, Helm seats

COCKPIT

- Self-draining cockpit
- 2 Lockers under helm seat - Gas strut opening
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel stainless steel - 1 100 mm / 3"7" diameter - Leather covered - Steering lock - Steering Gear on partition - metal cable transmission system - navigation instrument support (optional instruments) - Steering compass on binacle - Stainless steel glass holder - Stainless steel handrail
- 2 Helm seats
- Deck filler for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel on starboard
- Solid wood cockpit table - 2 Leaves - guy wash boards - miscellaneous locker - bottle holder - 12 V socket - lamp with shade - Switch - Cover
- 2 water-proof loudspeakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

AFT COCKPIT

- Open access protected by stainless steel guardlines - 1 Stainless steel doors
- Natural solid wood sole
- 1 Liferaft locker on starboard side - Gas strut opening (0,90 m x 0,34 m x 0,58 m / 2'11" x 1'1" x 1'11")
- Tender room
- 24V electric
- 1 Gas locker on port side - Gas strut opening
- 2 Watertight lockers at the bottom on the dinghy storage space
- 1 Central storage compartment at the bottom on the dinghy storage space
- 1 Stainless steel, removable swim ladder - solid wood steps
- 1 Hot and cold cockpit shower
- 1 220 V shore power
- Lounge area behind the helm
- Lader to access the swim platform (articulating)

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Fabric upholstery
- Ceiling panels, bulkhead, hull liner covered with PVC fabric (White)



COMPANIONWAY

Headroom: 2,08 m / 6'10"

- Wooden companionway with hung steps in moulded wood with non-slip surface
- Stainless steel stairway ramps - Leather covered
- Wrinkled blinds

Version: 1 forward cabin

FORWARD CABIN

Headroom: 2,10 m / 6'11"

- Central double bed (2,05 x 1,22 m - 1,66 m / 6'9" x 4' - 5'5") - Slatted bed base - Marine mattress
- Night tables
- Shelving unit - Drawers - miscellaneous locker
- Lockers under the bed (Gas strut opening)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror Gateway
- 2 Hull portholes with blackout curtains
- 3 Opening deck hatches with blackout blinds / mosquito nets

STARBOARD FORWARD HEAD COMPARTMENT

Headroom: 2,00 m / 6'7"

Private head en-suite from forward cabin

- Separate shower: Moulded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual toilet
- 1 73 L / 19 US Gal rigid holding tank
- Washbasin - Synthetic resin worktop - Hot/cold water mixer tap
- 2 Mirrors
- Toilet accessories
- Cupboards - Shelving unit
- 1 Opening deck hatch with blackout blind / mosquito net

Version: 2 forward cabins

FORWARD CABINS

2 Symmetrical cabins

Headroom: 2,07 m / 6'9"

- Double bed (2,05 x 1,50 m / 6'9" x 4'11") - Slatted bed base - Marine mattress
- Hanging locker - Shelving unit - Drawer - miscellaneous locker
- Mirror Gateway
- 1 Hull porthole with blackout curtain
- 1 Opening deck hatch with blackout blind / mosquito net

FORWARD HEAD COMPARTMENT

Symmetrical heads

Headroom: 2,00 m / 6'7"

- Private heads accessible from forward cabins
- Separate shower: Moulded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual toilet
- 1 73 L / 19 US Gal rigid holding tank
- Washbasin - Synthetic resin worktop - Hot/cold water mixer tap
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 Opening deck hatch with blackout blind / mosquito net

SALOON

Headroom: 2,03 m / 6'8"

- U shaped saloon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- Cupboards - Shelves and stowage along the hull - Storage space under seats and sofa
- Electric bar behind port settee
- 1 Panoramic skylight with blackout blinds / mosquito
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE - STARBOARD

- Control console with flap - miscellaneous locker - Storage - Moulded wood fiddle
- Helmsman seat with cushion and backrest
- Swivel backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio with stereo CD / MP3 player - 2 Loud speakers
- 1 Oilskin locker - 3 drawers cabinet

GALLEY - PORT SIDE

Headroom: 2,05 m / 6'9"

- U-shaped galley
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- Cold and hot water shower mixer tap
- 1 Gas cooker 3 burners, Stainless steel grill and oven swivels - Stainless steel protection handrail
- 1 Fridge 130 L, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 Cooler 100 L, top opening
- Drawers with slides and buffers, Cupboards, equipped lockers (shelves with guy wash boards, tea towel holder, bottle holder)
- Embedded bin
- 1 Opening porthole with blackout curtain

STARBOARD AFT CABIN

Headroom: 1,90 m / 6'3"

- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m / 6'7" x 2'10" + 6'7" x 2'07") - Slatted mattresses - Marine mattress
- Hanging locker - Shelving unit - miscellaneous locker
- 1 Dressing table with mirror
- Mirror Gateway
- 1 Opening porthole into cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 Fore opening porthole towards transom



AFT STARBOARD HEAD COMPARTMENT

Headroom: 2,05 m / 6'9"

- Private head compartment accessible from starboard aft cabin
- Separate shower: Moulded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual toilet
- 1 73 L / 19 US Gal rigid holding tank
- Washbasin - Synthetic resin worktop - Hot/cold water mixer tap
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

PORT AFT CABIN

Headroom: 1,90 m / 6'3"

- 1 Double bed (2,05 x 1,40 m - 1,53 m / 6'9" x 4'7" - 5') - Slatted bed base - Marine mattress
- Hanging locker - Shelving unit - miscellaneous locker
- Mirror Gateway
- 1 Opening porthole into cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 Fore opening porthole towards transom

AFT PORT HEAD COMPARTMENT

Headroom: 2,05 m / 6'9"

- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Moulded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual toilet
- 1 73 L / 19 US Gal rigid holding tank
- Washbasin - Synthetic resin worktop - Hot/cold water mixer tap
- Mirror
- Toilet accessories
- Cupboards - Cubby hole locker
- 1 Opening porthole with curtain

ENGINE

- Engine Volvo D3 - 150 CV/HP
- Engine electrical control and switchboard at the starboard helm
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V: 120 Amps
- 1 Alternator 24 V: 80 Amps
- 2 Roto moulded diesel tanks (240 l / 63 US Gal under aft berth to port + 240 l / 63 US Gal under aft berth To starboard) - Electronic gauge - 2 Deck fillers - Tank selection with "¼ turn" by-pass valves
- Filters: Sea water - Diesel - Water separator
- Stainless steel shaft line
- 3 folding blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

ELECTRICITY

- 12 V circuit
- 24 V circuit
- 220 V circuit
- Ducts with mouse lines for threading cables of electrics or navigation electronics optional extras
- 1 220 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Compartment to house the electrical equipment controls (Standard or Optional) in the port aft cabin

12 V circuit

- Standard equipment: 12V Sockets, Hifi
- Option: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Power distributor
- 1 12 V - 25 Amperes engine battery charger
- 2 12 V Sockets (Chart table x 1 - Cockpit table x 1)

24 V circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Option: Bow thruster
- 1 24 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Power distributor
- 1 24 V - 60 Amperes engine battery charger

220 V circuit

- Standard equipment: Sockets 220 V - Water heater
- Option: Electrical cooker - Microwave oven - Water maker - Icemaker - Air conditioning - Extractor hood - Washer - Dishwasher
- 220V Sockets:
 - 3 cabins layout: 21 Sockets (Forward cabin x 5 - Fore head x 1 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Aft port head compartment x 1 - Starboard aft cabin x 3 - Aft starboard head compartment x 1)
 - 4 cabins layout: 19 Sockets (2 Forward cabins x 2 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Aft starboard head compartment x 1)

Lighting

- LED interior lights:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in wardrobes
- Outside lighting:
 - Lighting under fixed arch
 - Standard bulb: Deck floodlight at mid mast, Projector boom bar, Shade lamp on cockpit table
- Navigation lights (LED) - Control on chart table and on starboard helm
 - 1 Mooring light at mast top
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard on pulpit
 - 1 Sternlight on pushpit to starboard



PLUMBING

- 2 Rotomoulded freshwater tanks (2 x 324 l / 2 x 86 US Gal in saloon inner moulding) - 2 Deck fillers - Tank selection with "¼ turn" by-pass valves
- Pressurised electric water pump - Expansion tank - Inline filter
- 60 L / 16 US Gal Electric boiler
- 1 Rigid 73 L / 19 US Gal black water holding tank for each WC
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric pump for the ice box drain

GAS

- Gas cylinder(s) locker in port aft transom
- Regulator and safety tap

OTHER OPTIONS

Navigation electronics: B&G

- High definition digital radar (radome only) 4G
- Cockpit table: Multifunction touchscreen Zeus 12" wide
- Chart table: Fixed RS 90 VHF, AIS receiver function + H50 cockpit handset
- 500 AIS receiver (Transmitter - Receiver)
- Forward Scan Sensor (Forward underwater vision)

Rigging - Sails

- Anodised mast with in-mast furler for Mylar-Taffetas tri-radial cut mainsail (in lieu of standard)
- Anodised furling mast with Hydranet Mainsail and Genoa (in lieu of standard)
- Park Avenue boom
- Electric genoa furling system
- Asymmetrical spinnaker rigging + Code 0 rigging
- Self-tacking jib hardware

- Hydranet tri-radial cut mainsail and genoa, for classical mast (in lieu of standard)
- Asymmetrical spinnaker
- Laminated Mylar Taffetas code 0 with furling drum
- Hydranet self-tacking jib (replacing genoa)
- Hydranet self-tacking staysail with manual furling + Fixed forestay
- Hydranet self-tacking staysail with electric furling + Fixed forestay
- Releasable forestay chainplate
- Hydraulic backstay*
- Genoa sheet track leads adjustable from the cockpit
- 2 flag halyards
- Rope cutter

**Except on mast with in-mast furling*

Winches

- Electrical coach roof winch (Starboard) H46.2 STCEH
- Electric genoa winches H70.2 STCEH

Forepeak cabin

In place of the sail locker

- Access through deck hatch (with ventilation) - Stainless steel ladder, solid wood steps
- Headroom: 1,93 m / 6'4"
- 2 Bunk berths (Bottom bunk 1,95 x 0,65 m - 0,44 m / 6'5" x 2'2" - 1'5"- Folding upper bed 1,95 x 0,65 m - 0,55 m / 6'5" x 2'2" - 1'10") - Foam mattress - PVC cover
- Hanging locker - Storage locker - Cupboard
- Manual toilet + 50 L / 13 US Gal rigid holding tank - Washbasin - Shower head mixer tap (hot/cold water) - Shower tray



BENETEAU

Oceanis 60

General Equipment list - Europe

Hull - Deck - Cockpit

- Grey "Perle" hull
- Blue-grey hull
- Slatted solid wood on coachroof
- Slatted solid wood side decks
- Metallic hull paint
- Blue Jean's Coachroof sprayhood
- Cockpit Bimini top + Side plates (Blue Jean's)
- Steering wheels & console covers (Blue Jean's)
- Luxe coachroof sprayhood, Cadet Grey
- Luxe bimini, Cadet Grey
- Complete Luxe cockpit closing, Cadet Grey
- Covers pack Luxe (Table + Steering consoles), Cadet Grey
- High comfort cockpit upholstery (2 Comfort Dark Narval seats, 10 Carton Sky pillows)
- High comfort aft cockpit extension upholstery (Dark Narval sunbeds, 5 Carton Sky pillows)
- Stainless steel seatback and upholstery for helmsman seats
- Bow thruster
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- White composite steering wheels
- Windlass control in cockpit with chain counter
- Side access ladders
- Underwater lights (x 4)
- Tender (2,40 m / 3 persons)

Interior equipment

- Interior woodwork: High Gloss Alpi Mahogany
 - Varnished floorboards
 - Interior upholstery, according to swatches: Fabrics, Leather, Ultraleather
 - Upholstery padding (Saloon and Cabins): Anthracite Grey or Taupe
 - Pure Brown carpet
 - TV LED 32" on elevator in saloon - Player Fusion (Bluetooth, USB, Dvd, MP3) in the saloon
 - TV LED 24" fixed in master cabin
 - All-electric galley - 220 V (Oven + Plate)
 - 220V Microwave oven
 - Dishwasher - 6 people 220 V
 - Galley: Freshwater filter
 - Galley: Electric pump (Sea water)
 - Washer dryer 220 V
 - 220V Ice maker
 - Quiet Flush electric WC, fresh water or seawater
 - Safe
 - Additional diesel tank (2 x 300 L / 2 x 79 US Gal) in the saloon
-
- 9,5 kVA Generator / 220 V
 - Water maker (100 l/h)
 - Heating (water system)
 - Chilled water air-conditioning unit 220V
 - Heating extension to forepeak cabin
 - Air conditioning extension to forepeak cabin